



BUYER'S GUIDE 2021

Content

| | |
|---|-----------|
| Timing or Diagnostics? | 3 |
| What can you do with the different SmarTracks products? | 4 |
| What data do you get? | 5 |
| Do you have access to a SmarTracks Location? | 6 |
| TIMING - Smart Run App | 7 |
| TIMING - Smart Run App & DX5.0 | 8 |
| TIMING - Timing Mobile Set (coming soon) | 11 |
| DIAGNOSTICS - SmarTracks Diagnostics PC Software & DX Sensor | 14 |
| DIAGNOSTICS - Diagnostics Mobile Set | 17 |
| Accessories | 20 |
| Size info for MB60 Belt | 23 |
| Contact Information | 24 |

Timing or Diagnostics?

TIMING



Professional timing with magnetic timing gates

Running analysis incl. running time, split times, distance, step frequency, number of steps, and speed

Livestream results (coming soon)

Single athlete

Single run

DIAGNOSTICS



Performance diagnostics for carrying out standard tests





Measure sprint tests, agility tests, jump tests, Cooper test, tappings tests

Running analysis incl. running time, split times, running distance, step frequency, number of steps, step length, and speed

Teams and single athletes

Multiple tests with one measurement, multiple athletes with one measurement

What can you do with the different SmarTracks products?

| | | TIMING SmarTracks Location | TIMING SmarTracks Location | TIMING Mobile Gates | DIAGNOSTICS SmarTracks Location | DIAGNOSTICS Mobile Gates |
|---|---------------------------------|-------------------------------------|-------------------------------------|---|--|-------------------------------------|
| | | Smart Run App (<i>free</i>) | Smart Run App + DX5.0 | Timing Mobile Set (<i>coming soon</i>) | SmarTracks Diagnostics PC Software & DX Sensor | Diagnostics Mobile Set |
|  | Timing | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| | Step Info | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| | RUNNING Long Jump Run-Up | | <i>Coming soon</i> | <i>Coming soon</i> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| | Pole Vault Run-Up | | <i>Coming soon</i> | <i>Coming soon</i> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| | Cooper Test | | <i>Coming soon</i> | <i>Coming soon</i> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
|  | Custom | | <i>Coming soon</i> | <i>Coming soon</i> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| | Arrowhead | | <i>Coming soon</i> | <i>Coming soon</i> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| | AGILITY TESTS Illinois | | <i>Coming soon</i> | <i>Coming soon</i> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| | 3 Cone Drill | | | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| | 5-10-5 Shuttle | | | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
|  | VERTICAL JUMPS Drop Jump | | | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| | Countermovement Jump | | | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| | Squat Jump | | | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
|  | TAPPINGS Tappings | | | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |

What data do you get?


| Measuring device | | | TIMING | | DIAGNOSTICS |
|--------------------|--|---|------------|-------------|-------------|
| | | | Smartphone | Sensor | Sensor |
| Running | Time | Total Time [0.01sec] | ☑ | ☑ | ☑ |
| | | Split Time [0.01sec] | ☑ | ☑ | ☑ |
| | Speed | Speed [m/s] and [km/h] | ☑ | ☑ | ☑ |
| | Heart Rate | | planned | planned | |
| | Start Options | Force Explosion | planned | planned | ☑ |
| | | Countdown | ☑ | ☑ | |
| | | Start Signal | ☑ | ☑ | |
| | Steps | Number of Steps | ☑ | ☑ | ☑ |
| | | Step Frequency [Hz] | | ☑ | ☑ |
| | | Steps per Minute | ☑ | ☑ | |
| | | Step Length | | planned | ☑ |
| | Cooper Test | 8 or 12 Minutes | | | ☑* |
| | Long Jump Run-Up | Total Time [0.01sec] | | planned | ☑ |
| | | Split Time [0.01sec] | | planned | ☑ |
| | Pole Vault Run-Up | Total Time [0.01sec] | | planned | ☑ |
| | | Split Time [0.01sec] | | planned | ☑ |
| | Realtime Observation | | | coming soon | |
| Agility Tests | Illinois (right and left) | Total Time [0.01sec] | | planned | ☑ |
| | Arrowhead (right and left) | Total Time [0.01sec] | | planned | ☑ |
| | Custom | Total Time [0.01sec] | | planned | ☑ |
| | 3 Cone Drill | Total Time [0.01sec] | | | ☑ |
| | | Split Time [0.01sec] | | | ☑ |
| | 5-10-5 Shuttle | Total Time [0.01sec] | | | ☑ |
| Tappings | | Split Time [0.01sec] | | | ☑ |
| | Tappings | Duration [s] | | | ☑ |
| | | Avg. Frequency [Hz] | | | ☑ |
| | | Max. Frequency [Hz] | | | ☑ |
| Jumps | | Number of contacts for 6 sec. and 15 sec. | | | ☑ |
| | Squat Jump | Jump Height [cm] | | | ☑ |
| | Drop Jump | Jump Height [cm] | | | ☑ |
| | | Ground Contact Time [s] | | | ☑ |
| | | Reactive Strength Index [cm/s]** | | | ☑ |
| Athlete Management | Countermovement Jump | Jump Height [cm] | | | ☑ |
| | Team Athlete Definition | | | | ☑ |
| | Single User | | ☑ | ☑ | |
| | Multiple Athletes with One Measurement | | | | ☑ |
| | Single Test with One Measurement | | ☑ | ☑ | |
| Results | | Multiple Tests with One Measurement | | | ☑ |
| | Exports | Run Export (mhtml, csv) | | | ☑ |
| | | Multiple Run Export (mhtml, Csv) | | | ☑ |
| | | Diagnostics Export | | | ☑ |
| | | Team Export | | | ☑ |
| | | Radar Chart Team | | | ☑ |
| | SmarTracks Online | Online Result View | ☑ | ☑ | |
| | | Raw Data Backup | ☑ | ☑ | ☑ |
| | | Result Backup | ☑ | ☑ | |
| | | Result Restore | ☑ | ☑ | |

* Cooper Test time is given when there is a regular gate pattern of every 50 or 100m on a 400m round lane and when athlete passes Timing Gate on time up

** Reactive Strength Index defined as Drop Jump Height [cm]/ Drop Jump Ground Contact Time [s]

Do you have access to a SmartTracks sports location?


A SmartTracks sports location has SmartTracks Timing Gates installed under the sports surface.



[Click here to view SmartTracks sports locations worldwide](#)

If you do not have access to a SmartTracks sports location, you need Mobile Sets.

| I have access to a SmartTracks sports location: | I don't have access to a SmartTracks sports location: |
|---|---|
| TIMING Smart Run App 7 | TIMING Timing Mobile Set 11 |
| TIMING Smart Run App & DX5.0 8 | DIAGNOSTICS Diagnostics Mobile Set 17 |
| DIAGNOSTICS SmartTracks Diagnostics PC Software & DX Sensor 14 | |






TIMING

SMART RUN APP & DX5.0

PROFESSIONAL TIMING FOR EVERY SMARTRACKS SPORTS LOCATION



TIMING

Smart Run App & DX5.0

Number of users and measurements allowed

- Single user
- Single test with one measurement














Result view options


- Realtime observation (coming soon)
- In-app
- Online

Data provided

| | | | |
|----------------------|----------------------------|------------------------|-------------------------------------|
| Running | Time | Total Time [0.01sec] | <input checked="" type="checkbox"/> |
| | | Split Time [0.01sec] | <input checked="" type="checkbox"/> |
| | Speed | Speed [m/s] and [km/h] | <input checked="" type="checkbox"/> |
| | Heart Rate | | planned |
| | Start Options | Force Explosion | planned |
| | | Countdown | <input checked="" type="checkbox"/> |
| | | Start Signal | <input checked="" type="checkbox"/> |
| | Steps | Number of Steps | <input checked="" type="checkbox"/> |
| | | Step Frequency [Hz] | <input checked="" type="checkbox"/> |
| | | Steps per Minute | <input checked="" type="checkbox"/> |
| | | Step Length | planned |
| | Cooper Test | 8 or 12 Minutes | |
| | Long Jump Run-Up | Total Time [0.01sec] | planned |
| | | Split Time [0.01sec] | planned |
| Agility Tests | Pole Vault Run-Up | Total Time [0.01sec] | planned |
| | | Split Time [0.01sec] | planned |
| | Realtime Observation | | coming soon |
| | Illinois (right and left) | Total Time [0.01sec] | planned |
| | Arrowhead (right and left) | Total Time [0.01sec] | planned |
| | Custom | Total Time [0.01sec] | planned |
| | 3 Cone Drill | Total Time [0.01sec] | |
| | | Split Time [0.01sec] | |
| | 5-10-5 Shuttle | Total Time [0.01sec] | |
| | | Split Time [0.01sec] | |

Smart Run App & DX5.0 - Product Variations



| DX5.0 Timing (with Inset) | DX5.0 Timing (with TB40 Belt) |
|--|---|
| Order Nr.: 10432 | Order Nr.: 53200 |
|  DX 5.0 Timing   |  DX 5.0 Timing   |
| DX5.0 Timing sensor with inset for sports tights back pocket. | DX5.0 Timing sensor with a basic belt for timing. |
| Includes: <ul style="list-style-type: none"> - 1 Sensor DX5.0 Timing - 1 Sensor Inset for DX5.0 Timing - Smart Run App (for Android and iOS) | Includes: <ul style="list-style-type: none"> - 1 Sensor DX5.0 Timing - 1 TB40 Belt - Smart Run App (for Android and iOS) |
| Available: Q2 2021 | Available: Q2 2021 |
| Price (excl. VAT): -€ | Price (excl. VAT): -€ |
| DX5.0 Timing (with MB60 Belt, XS-S or M-L) | DX5.0 Diagnostics (with MB60 Belts) |
| Order Nr.: XS-S: 96546, M-L: 96877 | Order Nr.: 95666 |
| DX 5.0 Timing    | DX 5.0 Diagnostics     |
| DX5.0 Timing sensor with MB60 belt. | SmarTracks DX5.0 Diagnostics sensor with two MB60 belts in transportation case. Compatible with SmarTracks Diagnostics PC Software and the Smart Run mobile app. |
| Includes: <ul style="list-style-type: none"> - 1 Sensor DX5.0 Timing - 1 Belt MB60 XS-S OR 1 Belt MB60 M-L - 1 Sensor Clip - Smart Run App (for Android and iOS) | Includes: <ul style="list-style-type: none"> - 1 Sensor DX5.0 Diagnostics - 1 Belt MB60 M-L - 1 Belt MB60 XS-S - 1 Sensor Clip - 1 Transportation Case - Smart Run App (for Android and iOS) |
| Available: Q2 2021 | Available: now |
| Price (excl. VAT): -€ | Price (excl. VAT): 850,00€ |



TIMING

TIMING MOBILE SET

PROFESSIONAL TIMING ON ANY LOCATION



TIMING

Timing Mobile Set

Number of users and measurements allowed

- Single user
- Single test with one measurement



Result view options

- Realtime observation (coming soon)
- In-app
- Online

Data provided

| | | | |
|---------------|----------------------------|------------------------|-------------|
| Running | Time | Total Time [0.01sec] | ✓ |
| | | Split Time [0.01sec] | ✓ |
| | Speed | Speed [m/s] and [km/h] | ✓ |
| | Heart Rate | | planned |
| | Start Options | Force Explosion | planned |
| | | Countdown | ✓ |
| | | Start Signal | ✓ |
| | Steps | Number of Steps | ✓ |
| | | Step Frequency [Hz] | ✓ |
| | | Steps per Minute | ✓ |
| | | Step Length | planned |
| | Cooper Test | 8 or 12 Minutes | |
| | Long Jump Run-Up | Total Time [0.01sec] | planned |
| | | Split Time [0.01sec] | planned |
| Agility Tests | Pole Vault Run-Up | Total Time [0.01sec] | planned |
| | | Split Time [0.01sec] | planned |
| | Realtime Observation | | coming soon |
| | Illinois (right and left) | Total Time [0.01sec] | planned |
| | Arrowhead (right and left) | Total Time [0.01sec] | planned |
| | Custom | Total Time [0.01sec] | planned |
| | 3 Cone Drill | Total Time [0.01sec] | |
| | | Split Time [0.01sec] | |
| | 5-10-5 Shuttle | Total Time [0.01sec] | |
| | | Split Time [0.01sec] | |

Timing Mobile Set - Product Variations


| Timing Mobile Set (2 Gates) | Timing Mobile Set (4 Gates) |
|--|---|
| Order Nr.: 13853 | Order Nr.: 94212 |
| <p>DX5.0 Timing</p>  <p>2 Gates</p> | <p>DX5.0 Timing</p>  <p>4 Gates</p> |
| <p>SmartTracks Timing Set for professional timing anywhere. Includes the DX5.0 Timing sensor and 2 Timing Gates, in combination with the Smart Run mobile app.</p> <p>2 Mobile Gates allow the following tests:</p> <ul style="list-style-type: none"> - Runs without split times - Long Jump and Pole Vault Run-Up - Arrowhead Agility Test - Custom Agility Test - Illinois Agility Test | <p>SmartTracks Timing Set for professional timing anywhere. Includes the DX5.0 Timing sensor and 2 Timing Gates, in combination with the Smart Run mobile app.</p> <p>4 Mobile Gates allow the following tests:</p> <ul style="list-style-type: none"> - Runs with split times - Long Jump and Pole Vault Run-Up - Arrowhead Agility Test - Custom Agility Test - Illinois Agility Test |
| <p>Includes:</p> <ul style="list-style-type: none"> - 1 Sensor DX5.0 Timing - 1 Belt MB60 M-L - 1 Sensor Clip - 2 Mobile Gates (4 x Cones, 4 x MCDs) - 2 Angle Holders - 1 Transportation Case - 1 Measuring Tape - Smart Run App (for Android and iOS) | <p>Includes:</p> <ul style="list-style-type: none"> - 1 Sensor DX5.0 Timing - 1 Belt MB60 M-L - 1 Sensor Clip - 4 Mobile Gates (8 x Cones, 8 x MCDs) - 2 Angle Holders - 1 Transportation Case - 1 Measuring Tape - Smart Run App (for Android and iOS) |
| Available: Q2 2021 | Available: Q2 2021 |
| Price (excl. VAT): - € | Price (excl. VAT): - € |



DIAGNOSTICS

SMARTTRACKS DIAGNOSTICS PC SOFTWARE & DX SENSOR

PERFORMANCE DIAGNOSTICS FOR PEOPLE TRAINING ON A SMARTTRACKS
SPORTS LOCATION



DIAGNOSTICS

Smartracks Diagnostics PC Software & DX Sensor

Number of users and measurements allowed

- Multiple simultaneous measurements
- Multiple tests with one measurement
- Multiple athletes with one measurement

Results view options









- In-software
- Exports (mhtml, csv)

Data provided

| | | | |
|----------------------|----------------------------|---|-------------------------------------|
| Running | Time | Total Time [0.01sec] | <input checked="" type="checkbox"/> |
| | | Split Time [0.01sec] | <input checked="" type="checkbox"/> |
| | Speed | Speed [m/s] and [km/h] | <input checked="" type="checkbox"/> |
| | Heart Rate | | |
| | Start Options | Force Explosion | <input checked="" type="checkbox"/> |
| | | Countdown | |
| | | Start Signal | |
| | Steps | Number of Steps | <input checked="" type="checkbox"/> |
| | | Step Frequency [Hz] | <input checked="" type="checkbox"/> |
| | | Steps per Minute | |
| | | Step Length | <input checked="" type="checkbox"/> |
| | Cooper Test | 8 or 12 Minutes | <input checked="" type="checkbox"/> |
| | Long Jump Run-Up | Total Time [0.01sec] | <input checked="" type="checkbox"/> |
| | | Split Time [0.01sec] | <input checked="" type="checkbox"/> |
| Agility Tests | Pole Vault Run-Up | Total Time [0.01sec] | <input checked="" type="checkbox"/> |
| | | Split Time [0.01sec] | <input checked="" type="checkbox"/> |
| | Realtime Observation | | |
| | Illinois (right and left) | Total Time [0.01sec] | <input checked="" type="checkbox"/> |
| | Arrowhead (right and left) | Total Time [0.01sec] | <input checked="" type="checkbox"/> |
| | Custom | Total Time [0.01sec] | <input checked="" type="checkbox"/> |
| Tappings | 3 Cone Drill | Total Time [0.01sec] | <input checked="" type="checkbox"/> |
| | | Split Time [0.01sec] | <input checked="" type="checkbox"/> |
| | 5-10-5 Shuttle | Total Time [0.01sec] | <input checked="" type="checkbox"/> |
| | | Split Time [0.01sec] | <input checked="" type="checkbox"/> |
| Jumps | Tappings | Duration [s] | <input checked="" type="checkbox"/> |
| | | Avg. Frequency [Hz] | <input checked="" type="checkbox"/> |
| | | Max. Frequency [Hz] | <input checked="" type="checkbox"/> |
| | | Number of contacts for 6 sec. and 15 sec. | <input checked="" type="checkbox"/> |
| Jumps | Squat Jump | Jump Height [cm] | <input checked="" type="checkbox"/> |
| | Drop Jump | Jump Height [cm] | <input checked="" type="checkbox"/> |
| | | Ground Contact Time [s] | <input checked="" type="checkbox"/> |
| | | Reactive Strength Index [cm/s]** | <input checked="" type="checkbox"/> |
| | Countermovement Jump | Jump Height [cm] | <input checked="" type="checkbox"/> |

SmarTracks Diagnostics PC Software & DX Sensor

- Product Variations



| SmarTracks Diagnostics PC Software + DX5.0 Diagnostics with MB60 Belts | SmarTracks Diagnostics PC Software Full + DX3.5 Diagnostics with MB60 Belts |
|--|---|
| Order Nr.: 44778 + 95666 | Order Nr.: 44778 + 64725 |
|   <p>DX 5.0</p>   |   <p>DX 3.5</p>   |
| <p>SmarTracks Diagnostics for people with access to a SmarTracks sports location.</p> <p>Includes the DX5.0 sensor and PC software for Windows 10 or higher, with a single-user license.</p> <p>The DX5.0 Diagnostics sensor can be used separately with the Smart Run mobile app for timing purposes.</p> | <p>SmarTracks Diagnostics for people with access to a SmarTracks sports location.</p> <p>Includes the DX3.5 Diagnostics sensor and PC software for Windows 10 or higher, with a single-user license.</p> |
| <p>Includes:</p> <ul style="list-style-type: none"> - 1 SmarTracks Diagnostics PC Software - 1 Sensor DX5.0 Diagnostics - 1 Belt MB60 M-L - 1 Belt MB60 XS-S - 1 Sensor Clip - 1 USB 2.0 A-Extension (1m) - 1 Transportation Case | <p>Includes:</p> <ul style="list-style-type: none"> - 1 SmarTracks Diagnostics PC Software - 1 Sensor DX3.5 Diagnostics - 1 Belt MB60 M-L - 1 Belt MB60 XS-S - 1 Sensor Clip - 1 USB 2.0 A-Extension (1m) - 1 Transportation Case |
| Available: now | Available: now |
| Price (excl. VAT): 2.850,00 € | Price (excl. VAT): 2.600,00 € |



DIAGNOSTICS

DIAGNOSTICS MOBILE SET

PERFORMANCE DIAGNOSTICS ON ANY LOCATION



DIAGNOSTICS

Diagnostics Mobile Set

Number of users and measurements allowed

- Multiple simultaneous measurements
- Multiple tests with one measurement
- Multiple athletes with one measurement



Results view options

- In-software
- Exports (mhtml, csv)

Data provided

| | | | |
|----------------------|----------------------------|---|-------------------------------------|
| Running | Time | Total Time [0.01sec] | <input checked="" type="checkbox"/> |
| | | Split Time [0.01sec] | <input checked="" type="checkbox"/> |
| | Speed | Speed [m/s] and [km/h] | <input checked="" type="checkbox"/> |
| | Heart Rate | | |
| | Start Options | Force Explosion | <input checked="" type="checkbox"/> |
| | | Countdown | |
| | | Start Signal | |
| | Steps | Number of Steps | <input checked="" type="checkbox"/> |
| | | Step Frequency [Hz] | <input checked="" type="checkbox"/> |
| | | Steps per Minute | |
| | | Step Length | <input checked="" type="checkbox"/> |
| | Cooper Test | 8 or 12 Minutes | <input checked="" type="checkbox"/> |
| | Long Jump Run-Up | Total Time [0.01sec] | <input checked="" type="checkbox"/> |
| | | Split Time [0.01sec] | <input checked="" type="checkbox"/> |
| Agility Tests | Pole Vault Run-Up | Total Time [0.01sec] | <input checked="" type="checkbox"/> |
| | | Split Time [0.01sec] | <input checked="" type="checkbox"/> |
| | Realtime Observation | | |
| | Illinois (right and left) | Total Time [0.01sec] | <input checked="" type="checkbox"/> |
| | Arrowhead (right and left) | Total Time [0.01sec] | <input checked="" type="checkbox"/> |
| | Custom | Total Time [0.01sec] | <input checked="" type="checkbox"/> |
| Tappings | 3 Cone Drill | Total Time [0.01sec] | <input checked="" type="checkbox"/> |
| | | Split Time [0.01sec] | <input checked="" type="checkbox"/> |
| | 5-10-5 Shuttle | Total Time [0.01sec] | <input checked="" type="checkbox"/> |
| | | Split Time [0.01sec] | <input checked="" type="checkbox"/> |
| Jumps | Tappings | Duration [s] | <input checked="" type="checkbox"/> |
| | | Avg. Frequency [Hz] | <input checked="" type="checkbox"/> |
| | | Max. Frequency [Hz] | <input checked="" type="checkbox"/> |
| | | Number of contacts for 6 sec. and 15 sec. | <input checked="" type="checkbox"/> |
| Jumps | Squat Jump | Jump Height [cm] | <input checked="" type="checkbox"/> |
| | Drop Jump | Jump Height [cm] | <input checked="" type="checkbox"/> |
| | | Ground Contact Time [s] | <input checked="" type="checkbox"/> |
| | | Reactive Strength Index [cm/s]** | <input checked="" type="checkbox"/> |
| | Countermovement Jump | Jump Height [cm] | <input checked="" type="checkbox"/> |

Diagnostics Mobile Set - Product Variations



| Diagnostics Mobile Set (DX5.0) | Diagnostics Mobile Set (DX3.5) |
|--|--|
| Order Nr.: 63207 | Order Nr.: 60214 |
|  |  |
| <p>SmarTracks Diagnostics Set for performance diagnostics anywhere.</p> <p>Includes the DX5.0 Diagnostics sensor, 4 Timing Gates and SmarTracks Diagnostics software with a single user license (for Windows 10 or higher). The sensor can be used separately with the Smart Run mobile app for timing purposes.</p> | <p>SmarTracks Diagnostics Set for performance diagnostics anywhere.</p> <p>Includes the DX3.5 Diagnostics sensor, 4 Timing Gates and SmarTracks Diagnostics software with a single user license (for Windows 10 or higher). The sensor cannot be used with the Smart Run mobile app.</p> |
| <p>Includes:</p> <ul style="list-style-type: none"> - 1 SmarTracks Diagnostics PC Software - 1 Sensor DX5.0 Diagnostics - 1 Belt MB60 M-L - 1 Belt MB60 XS-S - 1 Sensor Clip - 4 Timing Gates (8 x Cones, 8 x MCDs) - 2 Angle Holders - 1 Sensor Box - 1 Measuring Tape - 1 USB 2.0 A-Extension (2m) - 1 Transportation Case | <p>Includes:</p> <ul style="list-style-type: none"> - 1 SmarTracks Diagnostics PC Software - 1 Sensor DX3.5 Diagnostics - 1 Belt MB60 M-L - 1 Belt MB60 XS-S - 1 Sensor Clip - 4 Timing Gates (8 x Cones, 8 x MCDs) - 2 Angle Holders - 1 Sensor Box - 1 Measuring Tape - 1 USB 2.0 A-Extension (2m) - 1 Transportation Case |
| Available: now | Available: now |
| Price (excl. VAT): 3.999,00 € | Price (excl. VAT): 3.749,00 € |

Accessories

| MB60 Belt | Sensor Clip for DX5.0 |
|--|---|
| Order Nr.: XS-S: 83236, M-L: 75646 | Order Nr.: 91119 |
|  <p>SmarTracks Belt for holding the DX sensor in place. Does not include the sensor clip.</p> |  <p>Sensor holder for the DX5.0 sensor (with velcro to attach the sensor to the MB60 Belt)</p> |
| Available: Now | Available: Now |
| Price (excl. VAT): 75,00 € | Price (excl. VAT): 25,00 € |

| Sensor Clip for DX3.5 | Sensor Inset for DX5.0 Timing |
|---|--|
| Order Nr.: 72291 | Order Nr.: 76130 |
|  <p>Sensor holder for the DX3.5 sensor (with velcro to attach the sensor to the MB60 Belt)</p> |  <p>Foam Inset for placing the DX5.0 Timing sensor in a sports tights back pocket.</p> |
| Available: Now | Available: Q2 2021 |
| Price (excl. VAT): 25,00 € | Price (excl. VAT): -€ |

Accessories

| Mobile Gates (Set of 4) | Mobile Gates (Set of 2) |
|---|--|
| Order Nr.: 79284 | Order Nr.: 48351 |
|  <p>4 Timing Gates in a transportation case.</p> |  <p>2 Timing Gates in a transportation case.</p> |
| Available: now | Available: now |
| Price (excl. VAT): 999,00 € | Price (excl. VAT): 599,00 € |


| Cones (Set of 8) | Angle Holders (Set of 4) |
|--|--|
| Order Nr.: 20224 | Order Nr.: 49300 |
|  <p>8 cones (for marking the field or as holders for Mobile Gate MCDs).</p> |  <p>4 MCD holders for an angled setup of Mobile Gates (required for certain agility tests).</p> |
| Available: now | Available: now |
| Price (excl. VAT): 45,00 € | Price (excl. VAT): 60,00 € |

Accessories

| TB40 Belt |
|---|
| Order Nr.: 33773 |
|  <p>Belt for holding the DX5.0 Timing sensor in place.</p> |
| Available: Q2 2021 |
| Price (excl. VAT): - € |

Size Info for MB60 Belt

The MB60 Belt is placed on your lower back with the sensor in a vertical position. The belt should be placed so that the top edges of the belt are at the same height as the top of your hip bones.



| Size XS-S | Size M-L |
|---|---|
| <p>Weight: 62g Length: 80cm Width: 60cm</p> <p>Washable at 30°C (Material: 62% Viscose, 20% Polyamide, 16% Polyester)</p> <p>Suitable for waist size: approx. 52cm – 75cm</p> | <p>Weight: 130g Length: 112cm Width: 60cm</p> <p>Washable at 30°C (Material: 62% Viscose, 20% Polyamide, 16% Polyester)</p> <p>Suitable for waist size: approx. 71cm – 110cm.</p> |

Contact Information

If you want to place an order, or if you have any questions about Humotion's products and services, please contact us using the contact details below:

E-mail: info@humotion.net

Telephone: +49 (0) 251 590 805 0

Fax: +49 (0) 251 590 805 99

For more information on SmarTracks, visit www.smartracks.run.

For more information on other products and services by Humotion, visit www.humotion.net.